

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040153379".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/14 05:32
L2	1	(10/357971).APP.	USPAT; USOCR	OR	ON	2010/06/14 05:32
L3	42	("20010027471" "20010034673" "20020010661" "20020016715" "20020019759" "20020038266" "20020042735" "20020059121" "20020070846" "20020082954" "20020099631" "20020107744" "20020107820" "20020123944" "20020124389" "20020128957" "20020130065" "20020133415" "20020152128" "20020153994" "20020175606" "20020177922" "20020178074" "20030037009" "20030083964" "20030212602" "20040128204" "5694551" "5712789" "5758329" "6061607" "6078900" "6148291" "6167378" "6249774" "6289260" "6418416" "6448886" "6536659" "6648153" "6721762"). PN. OR ("7426484"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/14 05:33
L4	14	("2002/0152128").URPN.	USPAT	OR	ON	2010/06/14 05:33

S1	10807	(705/1,28,22,29).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 10:50
S2	6010778	((scan or scans or scanned or scanning) NEAR2 (code or codes)) or scanner or scanners or optical ADJ (scanner or scanners) or barcode ADJ (reader or readers) or LED ADJ (scanner or scanners) or laser ADJ (scanner or scanners) or linear ADJ imager ADJ (scanner or scanners) or ((2D or 3D) ADJ imaging ADJ (scanner or scanners)) or scans or scanned or scanning or read or reads or reading or swipe or swipes or swiped or swiping or capture) near "6" (product or item or box or parcel or purchase or thing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:00
S3	10048	S2 and ((input or enter or type or record or add) NEAR3 (date near3 time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:03
S4	357	S3 and S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 11:04
S5	2605921	(database or (data adj base\$1) or (management ADJ information ADJ system\$1) or (data adj collect\$4) or server) or (information or info) ADJ (center or center or centre or centres or central or centralize or centralizes or centralized or centralizing or centralization or centralise or centralises or centralised or centralising or centralisation or centrally or centrality or centralities or centric or centrally or centricity or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 13:00

		centered or centering or centeredness) or (file of files or filed or filing) NEAR2 (central or center \$1 or centre\$1) or (network or networks or networked or networking) or (Databank or databanks or data-bank) or (data adj (base or file or files))or (knowledge adj (base or bases))				
S6	8947	S3 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 13:01
S7	351	S6 and S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 13:03
S8	10807	(705/1,28,22,29).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 16:56
S9	6010778	((((scan or scans or scanned or scanning) NEAR2 (code or codes)) or scanner or scanners or optical ADJ (scanner or scanners) or barcode ADJ (reader or readers) or LED ADJ (scanner or scanners) or laser ADJ (scanner or scanners) or linear ADJ imager ADJ (scanner or scanners) or ((2D or 3D) ADJ imaging ADJ (scanner or scanners)) or scans or scanned or scanning or read or reads or reading or swipe or swipes or swiped or swiping or capture) near "6" (product or item or box or parcel or purchase or thing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 16:56

S10	10048	S9 and ((input or enter or type or record or add) NEAR3 (date near3 time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 16:56
S11	2605921	(database or (data adj base\$1) or (management ADJ information ADJ system\$1) or (data adj collect\$4) or server) or (information or info) ADJ (center or center or centre or centres or central or centralize or centralizes or centralized or centralizing or centralization or centralise or centralises or centralised or centralising or centralisation or centrally or centrality or centralities or centric or centrally or centrality or centered or centering or centeredness) or (file of files or filed or filing) NEAR2 (central or center \$1 or centre\$1) or (network or networks or networked or networking) or (Databank or databanks or data-bank) or (data adj (base or file or files))or (knowledge adj (base or bases))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 16:56
S12	8947	S10 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 16:56
S13	188	S12 and S8 and delivery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 16:56
S14	215	S12 and S8 and track\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 16:59

S17	172	S12 and S8 and track\$4 and internet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 17:10
S18	6014168	((scan or scans or scanned or scanning) NEAR2 (code or codes)) or scanner or scanners or optical ADJ (scanner or scanners) or barcode ADJ (reader or readers) or LED ADJ (scanner or scanners) or laser ADJ (scanner or scanners) or linear ADJ imager ADJ (scanner or scanners) or ((2D or 3D) ADJ imaging ADJ (scanner or scanners)) or scans or scanned or scanning or read or reads or reading or swipe or swipes or swiped or swiping or capture) near "6" (product or item or box or parcel or purchase or thing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 11:53
S19	10068	S18 and ((input or enter or type or record or add) NEAR3 (date near3 time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 11:53
S20	2607835	((database or (data adj base\$1) or (management ADJ information ADJ system\$1) or (data adj collect\$4) or server) or (information or info) ADJ (center or center or centre or centres or central or centralize or centralizes or centralized or centralizing or centralization or centralise or centralises or centralised or centralising or centralisation or centrally or centrality or centralities or centric or centrally or centrality or centered or centering or centeredness) or (file of files or filed or filing) NEAR2 (central or center \$1 or centre\$1) or (network or networks or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 11:53

		networked or networking) or (Databank or databanks or data-bank) or (data adj (base or file or files))or (knowledge adj (base or bases))				
S21	8964	S19 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 11:53
S22	2610	((((customer or buyer or shopper or user) near3 order) or (distribution near3 management)) and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 11:55
S23	10838	(705/1,28,22,29).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 11:56
S24	145	S22 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 11:56
S25	1798	(700/213-220,222).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:24
S26	4829	((((customer or buyer or shopper or user) near3 order) or (distribution near3 management)or delivery or warehouse or (supply same chain)) and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:33
S27	90	S25 and (S26 or S23)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:44

S28	94239	pallet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:39
S29	21	S27 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:39
S30	7287	pallet near5(id or identif\$9 or bar adj code or barcode or number or name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:40
S31	11	S30 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:41
S32	6014168	((((scan or scans or scanned or scanning) NEAR2 (code or codes)) or scanner or scanners or optical ADJ (scanner or scanners) or barcode ADJ (reader or readers) or LED ADJ (scanner or scanners) or laser ADJ (scanner or scanners) or linear ADJ imager ADJ (scanner or scanners) or ((2D or 3D) ADJ imaging ADJ (scanner or scanners)) or scans or scanned or scanning or read or reads or reading or swipe or swipes or swiped or swiping or capture) near "6" (product or item or box or parcel or purchase or thing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S33	10068	S32 and ((input or enter or type or record or add) NEAR3 (date near3 time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12

S34	2607835	(database or (data adj base\$1) or (management ADJ information ADJ system\$1) or (data adj collect\$4) or server) or (information or info) ADJ (center or center or centre or centres or central or centralize or centralizes or centralized or centralizing or centralization or centralise or centralises or centralised or centralising or centralisation or centrally or centrality or centralities or centric or centrally or centrality or centered or centering or centeredness) or (file of files or filed or filing) NEAR2 (central or center \$1 or centre\$1) or (network or networks or networked or networking) or (Databank or databanks or data-bank) or (data adj (base or file or files))or (knowledge adj (base or bases))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S35	8964	S33 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S36	10838	(705/1,28,22,29).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S37	1798	(700/213-220,222).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S38	4829	((((customer or buyer or shopper or user) near3 order) or (distribution near3 management)or delivery or warehouse or (supply same chain)) and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12

S39	90	S37 and (S38 or S36)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S40	7287	pallet near5(id or identif\$9 or bar adj code or barcode or number or name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S41	11	S40 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S42	1	menu and S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S45	2	"6285916".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:21
S46	93	("4005400" "4588881" "4628193" "4634845" "4635247" "4651150" "4711994" "4718103" "4752965" "4783740" "4832204" "4857713" "4866646" "4899137" "4927986" "5031098" "5031223" "5038283" "5043908" "5049862" "5068787" "5068797" "5072400" "5072401" "5079714" "5123064" "5128520" "5153842" "5204958" "5216233" "5218187" "5218188" "5225990" "5230047" "5262939" "5267147" "5272324" "5276315" "5278399" "5283819" "5291002" "5313051" "5313052" "5317628" "5329102" "5333266" "5334824" "5388210" "5388264" "5416520" "5420379" "5428766")	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:21

	"5432776" "5479000").				
	PN. OR ("6285916").				
	URPN.				

6/ 14/ 2010 5:33:49 AM

C:\Documents and Settings\hrojas\My Documents\EAST\Workspaces\ 10755218a.wsp